

UN
DERSTANDING

LEDs

What kind of explosive hazards were found at Al Shifa hospital Al Shifa hospital?

- All types of conventional weapons
- Aerial Delivered Improvised Munition
- Victim Operated IEDs
- Radio Controlled IEDs
- Passive Infra Red IEDs
- Suicide belts










ISIS BOMBLETS








UNMAS



UNMAS

IED Threat Evolution and Mitigation





Command pull



UNMAS

Radio controlled



UNMAS



Victim Operated Pressure Plate



UNMAS

Radio Controlled Trojan Horse



UNMAS



لَا إِلَهَ إِلَّا اللَّهُ
مُحَمَّدٌ رَسُولُ اللَّهِ



Twoe (S)VBIEDs airfield Gao



Zone de l'explosion

SVBIED

Châssis 80 m

Bloc moteur 80 m

3,20 m






Two (S)VBIEDs Ber Ocktober 2018



PRMB AT Mine as a main charge in an IED







Anti-Lift Device

Pressure plates

Main charge



Different initiators




PIR

VOIED's in deserted buildings



UNMAS

Complex Victim Operated IEDs



UNMAS

VOIED's in deserted buildings





UNMAS

Under Vehicle IEDs




UNMAS



UNMAS

IED Threat Evolution and Mitigation





Can you see the threat?

Come to the workshop on Friday 8 February 11.45
to find out more

13.05.201



UNMAS

**Thank you for your attention
Do you have any Questions?**